

INDEX TO VOLUME 73

A

- Abundance, fish, TVA reservoirs, 146-147
- Acidity, ammunition plant wastes, 46
- Acriflavine, neutral, 36
- Aerosol, 36
- Agar, Difco nutrient, 35
- Age and growth
 - brown trout, 209-230
 - tullibee, 125-136
 - yellow pike-perch, 90-108
- Age at maturity
 - tullibee, 131-132
 - yellow pike-perch, 99-100
- Age composition, tullibee catches, 134
- Air transport of fish, 21
- Alcorn, J. R., 173-193
- Alder flies, 200
- Alewife, production, 395-398
 - restoration of fisheries, 394-424
- Algae, pond growth of, 59-62
- Alkalinity, Holston River, 204
 - of ponds, 257-258, 377
- Alligator weed, 282
- Aloca apidissima*, 188, 364
- Aluminum oxide, in ponds, 379
- Amargosa pupfish, 190-191
- Ambloplites rupestris*, 39, 76, 87, 373-376
- Ameiuridae
 - Ameiurus*, 76, 87, 147
 - melas catulus*, 183
 - melas melas*, 183
 - natalis*, 364-372
 - nebulosus*, 183-184, 364-372
- Ictalurus*, 147
 - catus*, 182-183, 364-372
 - furcatus*, 39
 - lacustris*, 39, 76, 374
 - lacustris punctatus*, 182, 364-372
- Pilodictis*, 147
 - olivaris*, 39
- Amiidae
 - Amia calva*, 39, 76, 87, 147
- Ammonium sulphate, 388-391
- Ammunition plant wastes, 45-51
- Amphiodon alosoides*, 147
- Amphipoda, 232, 233-242
- Anacharis, 379
- Anchor tag, internal, 324, 334
- Anderson, William W., 284-319
- Anisoptera, 200, 201, 202, 246
- Ankistrodesmus, 392
- Annelida, 233-238
- Anti-anemia factor, 67
- Aplodinotus grunniens*, 39, 147
- Archer tag, 323, 329
- Archoplites interruptus*, 186-187
- Aristaeinae, 285
- Aristaeomorpha*, 300
 - foliacea*, 301
 - rostridens*, 301
- Aristaeus*, 300
 - antennatus*, 301
 - antillensis*, 301
 - occidentalis*, 301
 - semidentatus*, 301
 - virilis*, 301
- Aristeae, 290
- Artemesia*, 308
 - longinaria*, 308
- Arthritis deformans*, 43
- Artificial nests, bass, 26-27
 - propagation, results, 158-173
 - stocking, yellow pike-perch, 102-103

- Asplanchna* sp., 244
- Atherix, 202
- Atkins tag, 323, 330
- Atypopenaeus*, 311
 - compressipes*, 312
- Azphloramid, 36

B

- Bacillus columnaris*, 32-36
- Baetinae, 202
- Backswimmers, 259
- Bankfishes, tagging, 321-322
- Barb tag, 323, 331
- Bass, Kentucky, 39
 - largemouth black, 39, 76, 83, 232, 259
 - hatchery production, 373-376
 - in Nevada, 185-186
 - management, 274-283
 - pond productivity, 250, 262-273
 - rock, 39, 76, 80, 83, 87
 - hatchery production, 373-376
 - smallmouth black, 80, 83, 87, 278
 - effects of temperature, 23-26
 - experimental introduction, 19-31
 - hatchery production, 373-376
 - in Nevada, 184-185
 - life span, 23
 - pond productivity, 377-393
 - spawning temperature, 31
 - spotted, hatchery production, 373-376
 - striped, 364
 - tagging, 321-322
 - warmouth, 39
 - white, 39
 - yellow, 39
- Beetles, 200, 219
- Beef liver, salmon food, 66
- Benthogennema*, 290
 - borealis*, 295
 - pasithea*, 295
 - intermedia*, 295
 - stephensi*, 295
- Benthescymae, 290
- Benthescymus*, 291
 - altus*, 298
 - barletti*, 298
 - brasilensis*, 296, 297, 298
 - carinatus*, 297
 - cereus*, 297, 299
 - crenatus*, 296, 297
 - fulipes*, 291
 - investigatoris*, 298
 - iridescens*, 300
 - stephensi*, 295
 - strabus*, 296, 299
 - tanneri*, 298
 - winator*, 299
- Benthonectes, 290
- Bibliography on tagging, 352-363
- Bingham Oceanographic Laboratory, 284
- Blood count, chinook salmon, 66
- Bluegill, 39, 76, 80, 186
 - feeding habits, 231-242
 - hatchery production, 373-376
 - management, 274-283
 - pond productivity, 250
- B.O.D., 46
- Body-cavity tag, 323, 331-332
- Body-scale relationship, 91-93, 126-127
- Boleosoma nigrum*, 247
- Boesmina*, 246, 247
- Bottom fauna, Cherokee Reservoir, 194-209
- Watts Bar Reservoir, 206-208

- Bowfin, 87, 282
Brachionus spp., 244
Brevortia tyrannus, 367
 Brook silversides, 144
 Broth, Difco nutrient, 35
 fish-tissue, 35
 tryptone, 36
 Bryozoa, 233-238
 Buffalo, 150
 bigmouth, 39
 black, 39
 smallmouth, 39
 Bullhead, 76, 80, 87, 259, 364-372
 black, 39, 183-184
 brown, 39
 yellow, 39
 Burbot, eastern, 87
 Bachelor-button tag, 323-330
- C
- Caddisflies, 200
 Caeninae, 202
 Calcium, in ponds, 379
Callinectes sapidus, 367
 Cannibalism, in pike-perch ponds, 252
 Canning experiments, TVA fish, 151
Carassius auratus, 181
 Carbon, in fertilized ponds, 262-273
 Carbine, W. F., 70-88
 Carlender, Kenneth D., 90-107, 125-153
 Carp, 39, 47, 87, 150, 180-181
 spinal ossification of, 41-44
Carpiodes, 147
 cyprinus, 39
 Carpsucker, 150
 quillback, 39
 Caterpillars, aquatic, 200
 Catfish, 150
 blue, 39
 channel, 39, 76, 374
 fishery of Virginia, 364-372
 mud, 39
 southern channel, 182
 white, 182, 364-372
 yellow, 364-372
 Catostomidae
 Carpiodes, 147
 cyprinus, 39
 commersonii, 29, 76, 87
 catostomus, 29, 87
 Ictiobus bubalus, 39, 147
 niger, 39, 147
 Megastomatobus cyprinella, 39, 147
 Mintytrema melanops, 39, 76
 Moxostoma aureolum, 47, 76
 anisurum, 39
 breviceps, 39
 Census, creel, 52-58
 stream, 212-217
 Centrarchidae
 Ambloplites rupestris, 39, 76, 87, 373-376
 Archoplites interruptus, 186-187
 Chaenobryttus gulosus, 39, 47, 147
 Heloperca incisor, 47
 Huro salmoides, 39, 76, 147, 185-186, 262-273, 274-283, 373-376
 Lepomis, 239, 240
 cyaneus, 39, 47, 147, 186
 humilis, 147
 macrochirus, 39, 76, 147, 186, 231-242, 373-376
 megalotis, 39, 147
 microlophus, 39, 147, 373-376
 Micropterus dolomieu, 19-31, 87, 184-185, 373-376, 377-393
 punctulatus, 39, 147, 278, 373-376
- Pomoxis annularis*, 39, 147
 nigro-maculatus, 39, 76, 147, 187, 373-376
Ceratum hirundinella, 244
Chaenobryttus gulosus, 39, 47, 147
Chaoborus, 202, 246
Chara, 379-382
 Cherokee Reservoir, preimpoundment study, 194-209
 Chironomidae, 202, 233-242, 377
 Chlorazene, 36
Chlorella, 392
 Chloride, in ponds, 377
Chydorus, 246
 Chub, Utah, 182
 Cisco, 125-236
 gillnet catches, 29
 Cladocera, 233-242
 Bosmina, 246
 Chydorus, 246
 Daphnia pulex, 246
 Ceriodaphnia reticulata, 246
 Simocephalus serrulatus, 246
 Cladophora, 386-388
 Clupeidae
 Alosa sapidissima, 188, 364
 Brevortia tyrannus, 367
 Pomolobus sp., 367
 chrysochloris, 39
 pseudokarengus, 147, 384-424
 Coccoid granules, 35
 Codfish, tagging, 321-322
Coelastrium, 390, 392
 Coefficient of condition, rainbow trout, 117-124
 Coleoptera, 200, 201, 202, 246
 Elmidae, 202
 Halipilidae, 202
 Macrocladus subspinosus, 219
 Pelodytes, 202
 Collar tag, 323, 332-333
 Columbia River, columnaris disease, 33
 Columnaris, disease of fishes, 32-36
 Commercial fishing census, TVA, 142
 Committees, members of, 4-5
 Competing species, 105
 Condition, coefficient of, 117-124
 "Conditioning" of trout, 121-123
 Connecticut, alewife fisheries, 395-398
 Convict Creek, seasonal trout changes, 117-124
 Copepoda, 233-242
 Cyclops, 246
 Diaptomus sp., 246
 Copper sulphate, 36
 as an algicide, 59-62
 Coregonidae
 Coregonus clupeaformis, 29, 132-133, 188
 Leucichthys sp., 39
 artedi, 87, 126-127
 artedi tullibee, 125-136
 Cost, diet of salmon, 66
Corydalis, 202
 Cottonseed meal, fertilizer, 264, 266-270, 380, 382-384
 Crab, blue, 367
 Crappie, black, 39, 76, 80, 232, 259
 hatchery production, 373-376
 in Nevada, 187
 pond productivity, 250
 white, 39
 Creel census, 52-58, 109-110, 114, 161-163
 TVA impoundments, 141-142
Cristivomer namaycush, 20, 47, 52-58, 180
 Croaker, tagging, 321-322
 Crowding, effect on bass, 27
 Crystal violet, 36
 Culicidae, 202

Cyclops, 246-247

Cyprinidae

Carassius auratus, 181

Carpodacus cyprinus, 39, 147

Cyprinella whipplei, 47

Cyprinus carpio, 39, 41-44, 47, 87, 147, 180-181

Erycymba buccata, 47

Gila atraria, 182

Hyborthynchus notatus, 47

Lythrurus umbratilis, 47

Tinca tinca, 190

Cyprinodontidae

Cyprinodon nevadensis, 190-191

D

Damselies, 200, 232

Daphnia, 247, 254, 386

pulex, 246

Degani, John George, 45-51

Dendy, Jack S., 194-208

Density, brown trout, 209-230

population, 220-224

Depletion, yellow pike-perch, 103-105

Diets, fingerling salmon, 62-69

Difco nutrient agar, 35

Diptera, 198, 200, 201, 202, 238-242

Atherix, 202

Chaoborus, 202, 246

Chironomidae, 202

Culicidae, 202

Empididae, 202

Hemerodromia, 202

Orthocladinae, 202

Rhagionidae, 202

Simuliidae, 202

Spaniotoma, 202

Tanyptodinae, 202

Tipulidae, 202

Disease, ulcer, 34

Dobson flies, 200

Dogfish, 39, 76, 80, 87, 150

Dominant year class, 100-102

Dorosomidae

Dorosoma cepedianum, 39, 147

Dragonflies, 200, 232

Dredge, Petersen, 197

Drum, 39, 148, 150

Duckweed, 282

Duschee Creek, trout stocking, 108-116

E

Earthworms, 200, 232

Effectiveness, fishing gear, 152-155

Egg production, yellow pike-perch, 99-100

Electric shock, stream census, 212-217

Elmidae, 202

Empididae, 202

Environment control, 282-283

Ephemeroptera, 200, 201, 202, 233-242

Baetinae, 202

Caeninae, 202

Tricorythodes, 202

Erycymba buccata, 47

Erie, Lake, yield per acre, 143

Esocidae

Esox lucius, 19, 29, 76, 87

niger, 39

niger crassus, 147

Euchlanis sp., 244

Eusicyonia affinis, 317

alliafinis, 317

brevirostris, 315, 317

carinata, 318

disdorsalis, 318

disedwardsi, 317

disparri, 316

dorsalis, 316

edwardsi, 315

ingentis, 318

laevigata, 315, 316

parri, 315

penicillata, 317

picta, 318

stimpsoni, 316

Eusicyoninae, 235

Evaluation fishing gear, 152-155

Exotic fishes, Nevada, 173-193

F

Fall planting, effectiveness, 158-173

Fasciola hepatica, 65

Fecundity, yellow pike-perch, 99-100

Feeding, artificial, salmon, 62-69

habits, bluegill, 231-242

yellow perch, 231-242

yellow pike-perch, 244-248

Fertility, natural ponds, 256-258

Fertilization, pike-perch ponds, 253-254

Fertilizers, effect on plant growth, 377-393

Fingerlings, salmon, diet of, 63-69

Fin rot, 34

Fish and Wildlife Service, 284, 320

Fish, Frederic F., 32-36

Fishing, success, effect of moonlight, 52-59

Fish ladder, for alewives, 416-419

Fish Lake, fishing success, 52-59

Fish-tissue broth, 35

Flatfishes, tagging, 321-322

Flatworms, 200

Flies, alder, 200

true, 200

Fluctuations, growth rate, 96-98

population, tullibee, 126-127

Fly-fishing, census, 55-56

Food, of catfish, 366-367

requirement ratio, 188

Forage fish, pike-perch ponds, 252-253

Funchalia, 302, 303

balboa, 303

dane, 303

taaningi, 303

villosa, 303

woodwardi, 303

G

Gadidae

Lota maculosa, 29, 87

Gambusia, 144

affinis, 47, 184

Gammarrus, 247

Gar, 150, 182

longnose, 39, 76

shortnose, 39

Gear, effectiveness, 152-155

Gennadas, 290-291

alcocki, 293, 295

brevirostris, 292

bouvieri, 293

capensis, 292

elegans, 292

gardineri, 294

gilchristi, 294

incertus, 294

kempi, 292

parvus, 293

propinquus, 295

scutatus, 295

indicus, 295

similis, 292

sordidus, 291

talismani, 294

- tinayrei*, 293
valens, 293
Gila atraria, 182
 Gill infections, 34
 Gillnets, experimental, 28-29
 floating, 133
 Gizzard shad, 148, 150
 Gogebic Lake, fish migration, 82-84
 Goldeye, 105
 Goldfish, 181
Golenkinia, 392
 Great Lakes, yield per acre, 143
 Growth and age
 brown trout, 209-230
 tullibee, 125-136
 yellow pike-perch, 90-108
 Growth of transplants, 341
 planted trout, 165-166
 seasonal changes, 117-124
 yellow pike-perch, 244-248
 Gunter'sville Reservoir, TVA, 137-157

H

- Haddock, tagging, 321-322
 Hake, tagging, 321-322
 Halibut, tagging, 321-322
 Halipidae, 202
Haliporus, 285
 curvirostris, 288
 thetis, 288
 Hardness, ammunition plant wastes, 46
 Hatchery planting, success, 341-342
 production, Indiana, 373-376
 Hay, pond fertilizer, 264
 Heart Lake, 20
 Heincke ring tag, 323, 333
 stud tag, 323, 333
Heliopepercus incisor, 47
Hemerodromia, 202
Hemipenaeus, 300
 carpenteri, 301
 crassipes, 301
 gracilis, 301
 sibogae, 301
 speciosus, 301
 spinidorsalis, 301
 Hemiptera, 246
Hepomadus, 300
 glacialis, 300
 tener, 301
 Herring, lake, 87
 river, 367
 tagging, 321-322
Heteropenaeus, 302
 longimanus, 302, 308
 Hewitt, George S., 63-69
Hexagenia, 204, 242
Hiodon tergisus, 39
 Hiodontidae
 Amphiodon alosoides, 147
 Hiodon tergisus, 39
 Hirudinea, 200, 201
 Hog spleen, as salmon food, 66
 Holston River, 139
 pollution, 202-206
 Homing proclivities, salmon, 339-340
 Hook tag, 323, 324
 Hoop-net catches, Wheeler Reservoir, 37-40
 Houghton Lake, fish migration, 80-82
 Humus, loss in ponds, 265-270
 Hunt, Burton P., 231-242
 Hunt Creek, fish weir, 72-73
 Hunter, R. P., 13-15
 Huron, Lake, 21
Huro salmoides, 39, 76, 147, 185-186, 262-273, 274-283, 373-376
 Hyacinth, water, 282
Hyallela, 232
Hyborkhynchus notatus, 47
Hydracarina, 200, 201, 233-238
Hydrodictyon, 283-290
 reticulatum, 59-62
 Hydrogen-ion concentration, in ponds, 379
 Hydropsychidae, 202
 Hydrotillidae, 202
Hymenopenaeus, 286
 aequalis, 289
 aphoticus, 289
 debilis, 289
 diomedea, 289
 doris, 289
 laevis, 289
 lucasi, 289
 mercus, 289
 modestus, 288
 mulleri, 288
 neptunus, 290
 obliquirostris, 290
 propinquus, 289
 robustus, 288
 sibogae, 289
 taprobanensis, 290
 triarthrus, 289
 tropicalis, 288
 villosus, 290

I

- Ictalurus*, 147
 catus, 182-183, 364-372
 furcatus, 39
 lacustris, 39, 76, 374
 punctatus, 182, 364-372
Ictiobus bubalus, 39, 147
 niger, 39, 147
 Impoundments, TVA, commercial fishery, 137-157
 Indiana, hatchery production, 373-376
 Industrial wastes, Holston River, 202-206
 Infections, gill, 34
 In Memoriam, 10
 Internal anchor tag, 324, 334
 International Fisheries Commission, 320
 Pacific Salmon Fisheries Commission, 320
 Introduced fishes, Nevada
 Iron oxide, in ponds, 379

J

- James River, catfish fishery, 364-372
 Jaw tag, for trout, 108-116
 Jones, Thomas S. (In memoriam), 10

K

- Kask, John Lawrence, 320-363
Keratella cochlearis, 244

L

- Lake (see under proper name)
 Leeches, 200
 Lee's phenomenon, 95-96
 Length-weight relationship, yellow pike-perch, 98-99
Lepibema chrysops, 39, 147
 Lepidoptera, 200
 Nymphulinae, 202
 Paraonyx, 202
 Lepisosteidae
 Lepisosteus osseus, 39
 osseus oxyurus, 76, 147
 productus, 39, 147

Leponia, 239, 240
cyaneus, 39, 47, 147, 186
humilis, 147
macrochirus, 39, 76, 147, 186, 231-242,
 373-376
megalotis, 39, 147
microlophus, 39, 147, 373-376
Leptodora, 247
 Lesions on blueback salmon, 33-34
 Lethal concentrations, munitions wastes, 48-
 51
Leucichthys sp., 39
artedi, 87, 126-127
artedi tullibee, 125-136
 Life history, alewife, 398-400
 Lilies, water, 282
 Lime, pond fertilizer, 264-270
 Lindner, Milton J., 284-319
 Liver, beef, salmon food, 66
 fluke, 65
Lota maculosa, 29, 87
 Lofting tag, 324, 334
 Lung, Maurice, 373-376
 Lyman, F. Earle, 194-208
Lythrurus umbratilis, 47

M

Mackerel, tagging, 321-322
Macrobrachyus subspinosus, 219
 Macronematinæ, 202
 Macropetasma, 311
 Marking fish, 108-116, 320-363
Maxillipeds, 313
 Magnesium, in ponds, 379
 Maine, alewife fisheries, 394-424
 Management, alewife fisheries, 394-424
 Manganese, in ponds, 377
 Marzulli, Francis, 262-273
 Massachusetts, alewife fisheries, 395-398
 Maturity, age at, tullibee, 131-132
 Mayflies, 200
 Meal, fish, experimental production, 150
 McKeen, O. Lloyd, 262-273
Megastomatobus cyprinella, 39
 Members, deceased, 10
 Menzel, R. Winston, 364-372
 Mercurochrome, 36
Metapenaeus, 311
 Metaphen, 36
 Methylene blue, 36
 Microcysts, 35
Micropterus dolomieu, 19-31, 87, 184-185,
 373-376, 377-393
punctulatus, 39, 147, 373-376
 Midge larvae, 232
 Migration, alewives, 416-419
 brown trout, 209-230
 rate of, 341
 studied by weirs, 70-89
 tagged trout, 163-165
 Miller, Lawrence F., 37-44
 Miller, Robert R., 173-193
 Minnow, blackfin, 47
 blunt-nose, 47
 silvermouth, 47
 steel color, 47
 top, 47
Minytrema melanops, 39, 76
 Mites, water, 200
 Moffett, James W., 231-242
 Mollusca, 233-242
 Sphaeriidae, 232
 Mooneye, 39
 Moonlight, effect on fishing, 52-59
 Moronidae
Lepibema chrysops, 39

Morone americana, 367
interrupta, 39, 147
 Mortality, brown trout, 219-220
 due to columnaris, 35
 rainbow trout, 117-124
 rates of, 341
 seasonal changes, 117-124
 Mosbaugh, Harrell F., 373-376
 Mosquitofish, western, 184
Moxostoma anisurum, 39
aureolum, 47, 76
breviceps, 39
 Moyle, John B., 243, 261
 Mud puppy, 259
 Mullet, silver, 39
 tagging, 321-322
 Munitions wastes, lethal concentrations, 48-51
 Muriate of potash, 388-391
 Muskegon River, fish weir, 73-82
 Muskellunge, trapped by algae, 59

N

Najas flexilis, 379
 Necrosis, 34
Necturus maculosus, 259
 Needham, F. R., 117-124
 Nematoda, 200, 201
 Nests, artificial, for bass, 26-27
 Nevada, introduced fishes, 173-193
 New England alewife fisheries, 394-424
 New Hampshire, alewife fisheries, 395-398
 Nitric acid, 45
 Nitrogen, fertilized ponds, 262-273
 Holston River, 204
 natural ponds, 257-258
 rearing ponds, 254
 Norris Reservoir, 195, 196
 Norway tag, round, 324, 336
Notonecta, 259
 Nyphulinae, 202

O

Odonata, 233-242
 O'Donnell, D. John, 59-62
 Oedogonium, 386, 388
 Officers, list of, 3
Oligochaeta, 198, 200, 201
Oncorhynchus keta, 189-190
Kisutch, 190
nerka, 32-36, 190
 tagging, 321-322
tschawytscha, 190
 Ontario, Lake, 139
 Ontonagon River, fish migration, 82-84
 Opercle clip tag, 324, 334-335
 Orthocladinae, 202
Oscillatoria, 377, 386
 Osmeridae
Osmerus mordax, 87
 Ossification, spinal column, 41-44
 Ostracoda, 233-242
 Oxygen, dissolved, Holston River, 204

P

Parapenaeopsis, 311
acclivirostris, 313
atlantica, 312
balli, 312
cornutus, 313
gracillima, 312
hardwickii, 313
hungerfordi, 313
maxillipeds, 313
nana, 313
sculptilis, 313

- stylifera*, 313
tenellus, 313
uncta, 312
venusta, 313
Parapenaeus, 308
americanus, 308
flavus, 309
investigatoris, 309
longipes, 308
longirostris, 308
Paraponyx, 302
Pediastrum, 392
Pelagopenaeus, 303
Penaeidae, key to, 284-319
Penaeinae, 285
Penaenopsis, 308, 309
beebii, 310
goodii, 310
kishinouyei, 310
lamellatus, 309
megalops, 309
mineri, 310
pubescens, 309
rectacutus, 309
serratus, 309
smithi, 309
Penaeus, 302
aztecus, 306
brasiliensis, 305
brevirostris, 306
caeruleus, 305
californiensis, 307
canaliculatus, 307
carinatus, 305
duorum, 306
esculentus, 305
indicus, 305
japonicus, 307
laticulatus, 307
maccullochi, 308
marginatus, 307
merguensis, 305
occidentalis, 304
penicillatus, 305
schmitti, 304
semiculatus, 305
setiferus, 276, 303
stylrostris, 304
trisculatus, 305
vannamei, 304
 Peptone solutions, 35
 Perch, Sacramento, 186-187
 white, 367
 yellow, 76, 83, 87, 105, 259
 feeding habits, 231-242
 in Nevada, 184
 gillnet catches, 29
 Percidae
 Perca flavescens, 29, 76, 87, 105, 184, 231-242
 Stizostedion canadense, 39, 105, 147
 v. vitreum, 19, 29, 87, 90-107, 133, 243-261
 Petersen dredge, 197
 tag, 324, 335-336
 Phillips, Arthur M., 63-69
 Phosphate colloidal, pond fertilizer, 264, 266-270
 Phosphorus, Holston River, 204
 natural ponds, 257-258
 rearing ponds, 254, 377
 Pickerel, chain, 39
 "Pickerel," gillnet catches, 29
 Pickwick Reservoir, 137-157
 Pike, northern, 76, 79, 80, 83, 87, 259
 gillnet catches, 29
 Pike-perch, yellow (see also "pickerel"), 76, 79, 80, 83, 87
 feeding habits, 244-248
 pond production, 243-261
Pilodictis, 147
 olivaria, 39
 Plaice, European, tagging, 321-322
 Plants, pond, effects of fertilizers, 377-393
 Platte River, fish migration, 84-88
 Plecoptera, 200, 201
Plestopenaeus, 300
 armatus, 301
 coruscans, 301
 edwardsianus, 301
 Poeciliidae
 Gambusia, 144
 affinis, 47, 184
 Pollock, tagging, 321-322
 Pollution, 105
 Holston River, 202-206
 Polycentropidae, 202
Pomolobus sp., 367
 chrysocloris, 39
 pseudoharengus, 147, 394-424
Pomoxis annularis, 39, 147
 nigro-maculatus, 39, 76, 147, 187
 Ponds, fertilization, 253-254, 377-393
 fertilized, productivity, 262-273
 rearing, residual N and P, 254
 Population density, brown trout, 209-230
 fluctuations, tullibee, 126-127
 yellow pike-perch, 90-108
 pressure, 28
 studies, herring, 340
Potamogeton crispus, 379, 382, 390-392
foliosus, 390
 spp., 197
 Potassium permanganate, 36
 Potomac River, catfish fishery, 364-372
 Predation, in rearing ponds, 259
 Presidents, past, 6-7
 Prince Albert National Park, lakes, 19-31
 Production, alewife fisheries, 395-398
 Indiana hatcheries, 373-376
 per acre, TVA impoundments, 142-143, 145-147
 pond, yellow pike-perch, 243-261
 Productivity, fertilized ponds, 262-273
 rearing ponds, 250
 TVA reservoirs, 137-157
 Propagation, alewives, 413-415
 results, 158-173
Protrachypene, 311
 precipua, 312
 Pupfish, amargosa, 190-191
- Q
- Quillback carpsucker, 39
- R
- Ratio, body-scale, 91-93
 tullibee, 126-127
 food-requirement, 118
 lengths, 91-93
 sex, tullibee, 131-132
 Rawson, Donald S., 19-31
 Rays, tagging, 321-322
 Recovering tags, methods, 344-345
 Recovery, marked trout, 110, 114, 166-168
 "Red wastes," effect on fishes, 46-51
 Redhorse, northern, 76, 78, 80, 83
 Ohio, 39
 Reighard, Jacob E. (In memoriam), 10
 Reproduction, catfish, 365-366
 Reservoir (see under proper name)
 Restoration, alewife fisheries, 394-424
 Rhagionidae, 202
 Rhode Island, alewife fisheries, 395-398

- Ricker, William E., 373-376
 Ring tag, 324, 336
 River (see under proper name)
Roccus saxatilis, 364
 "Rock," 364
 Root River, trout stocking, 108-116
 Rotifera, 254
 Asplanchna sp., 244
 Brachionus spp., 244
 Euchlanis sp., 244
 Keratella cochlearis, 244
 Synchaeta sp., 244
 Rough-fish problems, TVA, 137-157
 Roundworms, 200
 Rounsefell, George A., 320-363, 394-424
 Rucker, Robert R., 32-36
- S
- Safety-pin tag, 324, 336
 Safford, W. H. (In Memoriam), 10
 Saithe, tagging, 321-322
 Salmon, blueback, columnaris disease, 32-36
 chinook, 190
 diet of, 63-69
 chum, 189-190
 coho, 190
 dog, 189-190
 homing proclivities, 339-340
 landlocked, 188-189
 quinnat, 190
 red, 190
 silver, 190
 sockeye, 190
 tagging, 321-322
 Salmonidae
 Cristicomer namaycush, 20, 47, 52-58, 180
 Oncorhynchus keta, 189-190
 kikut, 190
 nerka, 32-36, 190
 tchawytscha, 190
 Salmo agwa-bonita, 189
 clarkii henshawi, 175-176, 181
 clarkii lewisi, 176-177
 clarkii atomias, 189
 clarkii utah, 177-178
 fario, 209-230
 gairdnerii, 52-58, 117-124, 189
 gairdnerii irideus, 87, 178, 179
 salar sebago, 188-189
 trutta fario, 108-116, 174-175
 Salvelinus fontinalis, 108-116, 210
 Sampler, Surber, 198
 Sauger, 39, 105
 Scale method, yellow pike-perch, 90-108
Scenedesmus, 392
 Schuck, Howard A., 209-210
 Sciaenidae
 Aplodinotus grunniens, 39, 147
 Scup, tagging, 321-322
 Secretary, report, 13-15
 Senachwine, Lake, 41-44
 Serranidae
 Lepibema chrysops, 147
 Morone interrupta, 147
 Roccus saxatilis, 364
 Sewage pollution, Holston River, 202-206
 Sex ratio, tullibee, 131-132
 yellow pike-perch, 99-100
 Sexual maturity, yellow pike-perch, 90-108
 Shad, 364
 common, 188
 gizzard, 39, 275
 Sheep manure, pond fertilizer, 254, 383-388
 Sheepshead, 148
 Shetter, David S., 70-88
 Shorefishes, tagging, 321-322
 Shrimp, 276
 key to, 284-319
 Sialidae, 200, 201, 202
 Corydalis, 202
 Siems, Allan G. (In memoriam), 10
Signalosa, 275
 Silica, in ponds, 379
Simulium, 202
 Size limit, 105
 Skates, tagging, 321-322
 Skipjack, 39
 Slater, Daniel W., 117-124
 Smelt, 87
 Smith, Beatrice S., 108-116
 Smith, Lloyd L., Jr., 108-116, 243-261
 Smoking experiments, TVA fish, 151
 Snails, 232
 Sodium carbonate, 45
 nitrate, 388-391
 sulphite, 45
Solenocera, 285
 agassizii, 288
 annectans, 287
 atlantidis, 287
 comatus, 287
 crassicornis, 286
 faxonii, 287
 florea, 288
 hextii, 286
 koebeli, 286
 melantho, 286
 membranacea, 287
 africanus, 287
 mutator, 288
 necopina, 287
 novae-zealandiae, 287
 pectinatus, 286
 rathbuni, 286
 steindachneri, 286
 viroscai, 287
 Solenocerinae, 285
 Solids, content, in lakes, 20
 Soybean meal, fertilizer, 380, 382-385
Spaniotoma, 202
 Spatterdock, 282
 Sphaeriidae, 232
 Spinal ossification, carp, 41-44
Spirogyra, 377, 386, 388
 Spleen, hog, salmon food, 66
Spondylitis ossificans piscium, 41-44
 "Spoonbill," 150
 Sport-fish problems, TVA, 137-157
 Spring Creek, trout stocking, 158-173
 Spring planting, effectiveness, 158-173
 Squeteague, tagging, 321-322
Stizostedion canadense, 39, 105, 147
 v. citreum, 19, 29, 87, 90-107, 133, 243, 261
 Stocking, alewives in Maine, 413-415
 rainbow trout, 117-124
 trout, results, 158-172
 Stoneflies, 200
 Strap tag, 324, 336-338
 Stringer, Louis D., 394-424
 Sturgeon, 105
 tag, 324, 338
 Sucker, common, 76, 78-80, 83, 87
 gillnet catches, 29
 northern, gillnet catches, 29
 redhorse, 47
 spotted, 39, 76
 sturgeon, 87
 Sulfate, in ponds, 377
 iron, in natural ponds, 257-258
 Sulphuric acid, 45
 Sunfish, bluegill, 47
 green, 39, 47, 186
 longeared, 39

pumpkinseed, 80, 232
 redear, 39
 hatchery production, 373-376
 yield per acre, 146
 Superphosphate, 377-391
 as fertilizer, 383-388
 Surber, Eugene W., 377-393
 Surber sampler, 198
 Survival, brown trout, 209-230
 fry to adults, 23
 transplants, 341
 ratio, 146
 stocked trout, 108-116, 117-124
 tagged trout, 170-171
 Swordfish, tagging, 321-322
Synchaeta sp., 244

T

Tagging, bibliography on, 252-263
 fish, 158-173, 320-363
 technique, 347-351
 Tag, selection of, 342-344
 Tags, method of recovery, 344-345
 types of, 323-338
 Tail rot, 34
 Tanypodinae, 202
 Tapeworm, parasite, tullibee, 132-133
 Tarzwell, Clarence M., 137-157
 Technique, tagging, 347-351
 Temperature, effect of, 23-26, 34
 Tench, 190
 Tennessee River, impoundment, 137-157
 Valley Authority, 37-40
 Cherokee Reservoir, 194-209
 possible commercial fishery, 137-157
 Thompson, W. T. (In memoriam), 10
 Thymallidae
 Thymallus signifer tricolor, 187-188
Tinca tinca, 190
 Tipulidae, 202
 T.N.T., 45-51
 Toluene, 45-51
 Toxicity, ammunition plant wastes, 45-51
Trachypenaopsis, 311
 mobilispinis, 312
 richtersii, 312
Trachypena, 311, 314
Trachysalambria, 313
 asper, 314
 brevistaturae, 314
 byrdi, 314
 constrictus, 314
 curvirostris, 314
 granulosus, 314
 imitis, 314
 pacificus, 314
 Transplants, growth and survival, 341
 Treasurer, report, 13-15
 Trembley, Gordon L., 158-172
Triacanthoporus robustus, 132-133
 Trichoptera, 200, 201, 202, 233-242, 246
 Hydropsychidae, 202
 Hydroptilidae, 202
 Macronematinae, 202
 Polycentropidae, 202
 Tricorythodes, 202
 Trout, black spotted, 176
 brook, 165, 210
 survival, 108-116
 brown, changes in condition, 120-121
 density, growth, and movement, 209-230
 Nevada, 174-175
 stocking and migration, 158-173
 survival

coast rainbow, 178-179
 Columbia River steelhead, 189
 golden, 189
 greenback cutthroat, 189
 Lahontan cutthroat, 175-176
 lake, 20, 47, 52-58, 180
 mackinaw, 180
 rainbow, 80, 87, 120-121
 condition, 120-121
 growth and mortality, 117-124
 stocking and migration, 158-173
 Utah Lake cutthroat, 177-178
 Yellowstone cutthroat, 176-177
 Truckee River, 176
 Tryptone broth, 36
 Tullibee, age at maturity, 131-132
 growth and population fluctuations, 125-136
 sex ratio, 131-132
 Tuna, tagging, 321-322
 Turbellaria, 200

U

Ulcer disease, 34
 Unbalanced fishery, 149
 United States National Museum, 284

V

Valisneria, 197
 Van Oosten, John, 13
 Viosca, Percy, Jr., 274-283
 Viscera, as fish food, 63-69
 Vitamin B₁ deficiency, 63, 67

W

Wagner, John (In memoriam), 10
 Waskesiu Lake, 20
 Wastes, munitions, lethal concentrations, 48-51
 Water net, pond nuisance, 59-62
 Watts Bar Reservoir, 139
 bottom fauna, 206-208
 Weirs, two-way fish, 70-89
 West Hawk Lake, 20
 Wheeler Reservoir, TVA, 137-157
 Whitefish, gillnet catches, 29
 Great Lakes, 188
 Lake of the Woods, 132-133
 Wilson Reservoir, TVA, 137-157
 Woods, Lake of the, 20, 90-108
 Wright, Stillman, 52-58

X

Xiphopenaeus, 311
 kroyeri, 312
 ricetti, 312

Y

Year classes, dominant, 100-102
 Yellowtail, tagging, 321-322
 Yield per acre, rearing ponds, 250
 TVA impoundments, 142-143, 145, 147

Z

Zygnuma, 388
 Zygoptera, 200, 201, 202, 246

